


QUEEN DRIP Features




- Excellent uniformity leading to the same discharge rate from the first dripper to the last one
- Improving yields and crop quality
- Product uniformity
- Chemical materials, UV and high temperature resistance
- Cost, energy and labor saving




QUEEN DRIP Advantages




- Based on the latest European Technology
- High clogging resistance
- Excellent EU & CU (92%-96%)



- Low CV (Coefficient of Variation)
- Excellent distribution uniformity (DU) over long distances



- Constant emitter discharge rate
- High quality along with competitive price comparing to the imported products



QUEEN DRIP Applications



- For agriculture (traditional linear crop and extensive row crops)



- For fruit and vegetable production



- Fertilizer distribution for crops irrigated by drip tapes




Mehrvan Co.

Introduction

Mehravand Company was founded in 1999 to provide polyethylene pipes and fittings. In business for more than 15 years, the company enjoys an experienced and professional team of highly educated engineers and experts. Our products have all been manufactured confirming Iran National Standard to the number 14427-2 and 7607 which is under DIN 8074 & DIN 8072 standards of Germany and quality management system ISO 9001-2015, ISO IEC 17025 & HSE-MS. Aiming to achieve both qualitative and quantitative goals in producing polyethylene pipes along with customer satisfaction, we are honored to release our new product in the field of flat drip irrigation tapes under “Queen Drip” commercial brand.

Specifications and Technical Data

WALL THICKNESS (MIL)	EMITTER SPACING	FLOW RATE (lit/hr)	PIPE DIAMETER	COIL DIMENSIONS (CM)	COIL LENGTH (MT)
150 MIC	10cm	1.65 & 2.1	16 & 22		600-1500
	20cm	1.65 & 2.1			
	30cm	1.65 & 2.1			
175 MIC	10cm	1.65 & 2.1			
	20cm	1.65 & 2.1			
	30cm	1.65 & 2.1			
200 MIC	10cm	1.65 & 2.1			
	20cm	1.65 & 2.1			
	30cm	1.65 & 2.1			

- Various emitter spacing in the range of 10 cm to 120 cm
- Various wall thicknesses in the range of 150mic to 700mic



No 40 - Chamran 9 - Chamran Ave
Mashhad-IRAN / P.OBox:9137688994
PHONE:+9851-32221984 / FAX:+9851-32221884



M e h r a v a n d
Irrigation Tape Producer
www.mehravand.com
mehravand_co@yahoo.com

